

Application Serial No. 10/034,785
Attorney Docket No. 03237.0001U2

Examiner Hal Wachsman
Group Art Unit 2857

II. Remarks

Claims 12–38 and 40–44 have been canceled. Claims 1–11, 39, and 45–78 remain pending in the application. The Applicant again gratefully acknowledges the Examiner’s careful review of the application and finding that the application is in condition for allowance except for the following formal matters.

A. Correction of the Amendment to Claim 64

In paragraph 1(a) of the Notice, the Examiner commented that the listing of claim 64 did not include a marking to show the deletion of the phrase “A. enabling a user using a client computer to remotely via a computing network access a server computer associated with the computing device.” The listing of this claim as it appears on page 12 of this response now includes the proper indication of deletion.

B. Correction of Designation of Canceled Claims in Claims Listing

In paragraph 1(b) of the Notice, the Examiner identified the improper indication of canceled claims 12-38 and 40-44. The indication of cancellation of these claims has been corrected in the listing above at pages 4 and 5 respectively.

C. Substitute Specification Spacing Issue and Image File Wrapper Label

In paragraph 1(c) of the Notice, the Examiner commented that the clean and mark-up copies of the substitute specification were improperly labeled by the Office when previously submitted. The Examiner suggested that these copies be resubmitted with separator pages indicating Mark-up Copy of Substitute Specification and Clean Copy of Substitute Specification rather than Exhibits A and B in an effort to have these documents properly labeled upon resubmission. Applicant has, therefore, attached copies of the substitute specification in the requested manner.

Application Serial No. 10/034,785
Attorney Docket No. 03237.0001U2

Examiner Hal Wachsman
Group Art Unit 2857

The Examiner further noted several spacing issues at various points in the response and substitute specification. The file copy does not appear to include these spacing issues; consequently, the undersigned believes that the issue likely resulted from the fax software used to transmit the prior response. The undersigned is now using a different fax software package that will hopefully not exhibit the same issues. If the Examiner notes spacing issues again with this submission, he is invited to contact us to request that we resubmit the filing by mail.

III. Conclusion

The undersigned believes that no fee is due in connection with this paper. However, if the undersigned is mistaken, the Commissioner is authorized to charge deposit account no. 50-3091 to cover any fee due.


No additional remarks are believed necessary in response to the Examiner's Notice; however, to the extent Applicant's remarks regarding the Examiner's objections are necessary, Applicant incorporates herein by reference its remarks included in its prior response of January 5, 2005. For all the reasons discussed above, Applicant respectfully requests that the Examiner do the following:

1. enter the amendments to the specification and claims presented in this paper;
2. cancel claims 12-38 and 40-44;
3. reconsider and withdraw his objections to the specification;
4. reconsider and withdraw his objections to claims 1-11, 39, and 45-68;
5. enter the amendment adding new claims 70-78; and
6. consider and allow all pending claims so that a patent containing claims 1-11, 39, and 45-78 may issue in due course.

Application Serial No. 10/034,785
Attorney Docket No. 03237.0001U2

Examiner Hal Wachsman
Group Art Unit 2857

Respectfully submitted
on March 25, 2005,
WEATHERLY KERVEN LLC



David S. Kerven
Registration No. 43,712

WEATHERLY KERVEN LLC
Phone No.: 770-395-5920
e-mail: Kerven@addipvalue.com
Customer No.: 35564